

NOTICE OF PRODUCT CERTIFICATION



| | |
|-------------------------------|--------------------|
| CERTIFICATION NO: | <u>NI010949-R3</u> |
| DATE: | <u>02/01/2012</u> |
| CERTIFICATION PROGRAM: | <u>Structural</u> |
| COMPANY: | <u>Loewen</u> |
| CODE: | <u>1862-1</u> |
| REVISION DATE: | <u>12/13/2021</u> |

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|--|
| <p>Loewen</p> <p>77 Highway 52 West</p> <p>Steinbach, Manitoba R5G 1B2</p> | <p>"Non-Clad Wood Patio Fixed"</p> <p>Wood Fixed Door</p> <p>Configuration: O Glazing: Insulating Glass (Tempered)</p> <p>Frame: W-1251mm(49.25") H-2400mm(94.49")</p> <p>DLO: W-1060mm(41.75") H-2169mm(85.38")</p> |

| SPECIFICATION | PRODUCT RATING |
|---|--|
| <p>AAMA/WDMA/CSA 101/I.S.2/A440-08</p> <p>AAMA/WDMA/CSA 101/I.S.2/A440-05</p> | <p>CW-PG95 1251 x 2400 (49 x 95)-FD</p> <p>CW-PG95 1251 x 2400 (49 x 95)-SLT</p> <p>FD-C95 1251 x 2400 (49 x 95)</p> <p>SLT-C95 1251 x 2400 (49 x 95)</p> <p>Design Pressure: 4560 (95 psf)</p> <p>Negative Design Pressure: 4560 (95 psf)</p> <p>Water Penetration Resistance Test Pressure: 730 Pa(15.0 psf)</p> <p>Canadian Air Infiltration/Exfiltration Level: Fixed</p> |

Product Tested By: Architectural Testing, Inc.
 Report No: 86561.01-201-44
 Expiration Date: December 31, 2026

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
 MANAGEMENT INSTITUTE, INC.**
 4794 George Washington Memorial Highway
 Hayes, VA 23072
 Tel: (804) 684-5124
 Email: nami@namiinc.com