NOTICE OF PRODUCT CERTIFICATION

Company: Therma-Tru Corporation
118 Industrial Drive
Edgerton, OH 43517

Certification No.: NI010999-R4
Certification Date: 03/09/2012
Expiration Date: 03/31/2036
Revision Date: 03/23/2026

Product: "Profiles" Impact Glazed Steel Doors w/ and w/o Impact Glazed Sidelites

Specification: TAS 201/202/203-94

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

Configuration	Inswing or Outswing	Glazed or Opaque	Maximum Size	Design Pressure Pos/Neg	Water Test Pressure	Missile Impact Rated	Test Report Number Drawing Number & Comments
XX Double	I/S	Glazed	6'3" x 8'1"	+47/-50	0.00 psf	Yes	TEL 06-0831-2/W-1864/W-1872 Max Panel Size: 3'0" x 8'0"/Max DLO: 1'9" x 6'7" Glazing: IG-1/8" Tempered Glass/5/32" Annealed Glass/0.090" Solutia PVB Interlayer/1/8" Annealed Glass w/Latch & Deadbolt Qualifies Configurations: X/XX
XX Double	O/S	Glazed	6'3" x 8'2"	+47/-47	7.50 psf	Yes	TEL 06-0831-2/W-1864/W-1872 Max Panel Size: 3'0" x 8'0"/Max DLO: 1'9" x 6'7" Glazing: IG-1/8" Tempered Glass/5/32" Annealed Glass/0.090" Solutia PVB Interlayer/1/8" Annealed Glass w/Latch & Deadbolt Qualifies Configurations: X/XX
OXXO Double w/Sidelites	I/S	Glazed	12'8" x 8'1"	+47/-50	0.00 psf	Yes	TEL 06-0831-2/W-1864/W-1872 Max Panel Size: 3'0" x 8'0"/Max DLO: 1'9" x 6'7" Glazing: IG-1/8" Tempered Glass/5/32" Annealed Glass/0.090" Solutia PVB Interlayer/1/8" Annealed Glass w/Latch & Deadbolt Qualifies Configurations: X/O/OX/XO/OXO/XX/XXO/OXX/OXXO
OXXO Double w/Sidelites	O/S	Glazed	12'8" x 8'2"	+47/-47	7.50 psf	Yes	TEL 06-0831-2/W-1864/W-1872 Max Panel Size: 3'0" x 8'0"/Max DLO: 1'9" x 6'7" Glazing: IG-1/8" Tempered Glass/5/32" Annealed Glass/0.090" Solutia PVB Interlayer/1/8" Annealed Glass w/Latch & Deadbolt Qualifies Configurations: X/O/OX/XO/OXO/XX/XXO/OXX/OXXO

National Accreditation & Management Institute, Inc./4794 George Washington Memorial Highway/Hayes, VA 23072
Tel: (804) 684-5124/Email: nami@namiinc.com

NAMI AUTHORIZED SIGNATURE: _____