

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011024.02-R4
DATE: 03/28/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Ply Gem
CODE: 1408-1
REVISION DATE: 10/24/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group 433 North Main Street Rocky Mount, VA 24151	Series "700" Vinyl Awning Combination Window Configuration: OO/XX Glazing: Insulating Glass (Annealed) Frame: W-1828mm(72") H-2134mm(84")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class LC-PG25 1828 x 2134 (72 x 84)-AP AP-LC25 1828 x 2134 (72 x 84) Design Pressure: ±1200 Pa (±25 psf) Water Penetration Resistance Test Pressure: 220 Pa (4.50 psf)

Product Tested By: National Certified Testing Laboratories
Report No: 310-2421/310-2423/W-1724/W-2047
Expiration Date: March 31, 2027

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com