

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011050-R3  
**DATE:** 04/07/2012  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Loewen  
**CODE:** 1862-1  
**REVISION DATE:** 12/13/2021

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Loewen</b> <b>77 Highway 52 West</b> <b>Steinbach, Manitoba R5G 1B2</b>	<b>Series "FP2 2427 Sliding Glass Door"</b> <b>Aluminum Clad Wood Sliding Glass Door</b>  Configuration: XO Glazing: Insulating Glass (Tempered)  Frame: W-2400mm(94.5") H-2700mm(106.31") Panel: W-1208mm(47.56") H-2616mm(103")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b>	<b>Class LC-PG35 2400 x 2700 (95 x 106)-SD</b> <b>SD-C35 2400 x 2700 (95 x 106)</b> <b>Design Pressure: ±1680 (35 psf)</b> Water Penetration Resistance Test Pressure: 330 Pa(6.75 psf) Canadian Air Infiltration/Exfiltration Level: A2

Product Tested By: Architectural Testing, Inc.  
Report No: 76270.01-201-44/W-1966  
Expiration Date: **December 31, 2026**

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "S.M.", is written over the signature line.

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)