

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011128-R4
DATE: 06/03/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Henselstone
CODE: 755-1
REVISION DATE: 01/02/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Henselstone Window & Door Systems 113 Henselstone Lane Amissville, VA 20106	Series "PVC Lift & Slide Door" Configuration: XO Glazing: Insulating Glass-Laminate-1/8" Annealed Glass/0.015" Interlayer/1/8" Annealed Glass/Laminate-1/8" Annealed Glass/0.015" Interlayer/1/8" Annealed Glass Frame: W-3670mm(144.5") H-2610mm(102.75") Panel: W-1800mm(70.88") H-2484mm(97.81")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E330-02/E331/E547-00 ASTM E1886-05/E1996-05b	Design Pressure: +65/-55 psf Wind Zone 4-Missile Level D

Product Tested By: ETC Laboratories
Report No: ETC-09-950-21353.0
Expiration Date: December 31, 2027

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi D", written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023