

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011158.06-R4  
**DATE:** 06/22/2012  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Ply Gem  
**CODE:** 1411-1  
**REVISION DATE:** 07/26/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Ply Gem Window Group</b> 433 North Main Street Rocky Mount, VA 24151	<b>“Contractor Series 2000/HarborLight/ Home Craftsman 8125/Mastic 3000”</b> <b>Vinyl Horizontal Sliding Window</b>  Configuration: XXX Glazing: Insulating Glass (Annealed)  Frame: W-3050mm(120.06") H-1830mm(72.06") Panel: W-1476mm(58.12") H-1741mm(68.56")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05 CMBSO 1-79/CAWM 300-89	<b>Class R-PG15 3050 x 1830 (120 x 72)-HS</b> <b>HS-R15 3050 x 1829 (120 x 72)</b> <b>Design Pressure: 720 Pa (15 psf)</b> Water Penetration Resistance Test Pressure: 150 Pa(3.13 psf) Canadian Air Infiltration/Exfiltration Level: A2

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-14984-7/W-2071  
Expiration Date: **January 31, 2028**

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)