

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011184.03-R5  
**DATE:** 07/09/2012  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** YKK AP America  
**CODE:** 860-1  
**REVISION DATE:** 01/21/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>YKK AP America, Inc.</b> <b>101 Marietta Street NW, Suite 2100</b> <b>Atlanta, GA 30303</b>	<b>Precedence®</b> <b>Horizontal Sliding Vinyl Window</b>  Configuration: XX Glazing: Insulating Glass (Annealed) Frame: W-2439mm(96") H-1219mm(48") Vent: W-1204mm(47.38") H-610mm(24") DLO: W-1117mm(43.94") H-524mm(20.63")

SPECIFICATION	PRODUCT RATING
<b>ASTM E283-04/19</b> <b>ASTM E330-02/14</b> <b>ASTM E547-00</b> <b>ASTM F588-04</b>	<b>Design Pressure: ±2395 Pa (±50 psf)</b> <b>Water Penetration Resistance Test Pressure: 252 Pa (5.25 psf)</b> <b>FER-Passed Grade 10</b>

Product Tested By: Hurricane Testing Laboratories  
Report No: G231-0202-09/W-2075/W-2179  
Expiration Date: **December 31, 2027**

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)