

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011185.07-R4
DATE: 07/28/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Ply Gem
CODE: 1408-1
REVISION DATE: 02/18/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group 433 North Main Street Rocky Mount, VA 24151	Series "Pro 200 Horizontal Slider" Vinyl Horizontal Sliding Window Under Fixed Combination Window Configuration: O/XO Glazing: Insulating Glass (Annealed) Frame: W-2134mm(84") H-2134mm(84") Panel: W-1038mm(40.88") H-530mm(20.88")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05 CMBSO 1-79/CAWM 300-89	Class R-PG20 2134 x 2134 (84 x 84)-HS HS-R20 2134 x 2134 (84 x 84) Design Pressure: 960 Pa (20 psf) Water Penetration Resistance Test Pressure: 290 Pa(6.0 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: National Certified Testing Laboratories
Report No: 310-1960/NS2010-381/W-2010
Expiration Date: August 31, 2030

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com