

# NOTICE OF PRODUCT CERTIFICATION



<b>CERTIFICATION NO:</b>	<u>NI011194.02-R3</u>
<b>DATE:</b>	<u>08/20/2012</u>
<b>CERTIFICATION PROGRAM:</b>	<u>Structural</u>
<b>COMPANY:</b>	<u>Ply Gem</u>
<b>CODE:</b>	<u>1408-1</u>
<b>REVISION DATE:</b>	<u>02/20/2024</u>

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<p><b>Ply Gem Window Group</b>  <b>433 North Main Street</b>  <b>Rocky Mount, VA 24151</b></p>	<p><b>Series "400" Vinyl</b>  <b>Double Single Hung Window Combination</b></p> <p>Configuration: O/X/O/X                      Glazing: Insulating Glass (Annealed)</p> <p>Frame: W-2134mm(84")      H-1829mm(72")                      Sash: W-1016mm(40")      H-886mm(34.88")</p>

SPECIFICATION	PRODUCT RATING
<p><b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b>  <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>  <b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b>  <b>CMBSO 1-79/CAWM 300-89</b></p>	<p><b>Class R-PG25 2134 x 1829 (84 x 72)-H</b>  <b>H-R25 2134 x 1829 (84 x 72)</b>  <b>Design Pressure: 1200 Pa (25 psf)</b>                      Water Penetration Resistance Test Pressure: 290 (6.0 psf)                      Canadian Air Infiltration/Exfiltration Level: A3</p>

Product Tested By: National Certified Testing Laboratories  
 Report No: NCTL-310-2777/W2047  
 Expiration Date: **July 31, 2028**

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
 Hayes, VA 23072  
 Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)