

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011246-R6
DATE: 09/04/2012
CERTIFICATION PROGRAM: Structural/Impact
COMPANY: QMI
CODE: 691-1
REVISION DATE: 01/11/2022

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
QMI Security Solutions 1661 Glenlake Avenue Itasca, IL 60143	"28 FX - QMI Stormsafe Screen" Aluminum Fixed Impact Screen Configuration: O Screen: 304 Stainless Steel (0.028") Frame: W-1562mm(61.5") H-3670mm(144.5") DLO: W-1435mm(56.5") H-3543mm(139.5")

SPECIFICATION	PRODUCT RATING
ASTM E330-02/E330M-14 ASTM E1886-02/04/13A/E1996-02/04/14A TAS 201/202/203-94	Design Pressure: +80/-80 psf Wind Zone 4-Missile Level D Large Missile Impact Rated

Product Tested By: Certified Testing Laboratories
Report No: CTLA 1366W-1/CTLA 1366W-4/W-1888/W-2018
Expiration Date: **September 30, 2030**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com