NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI011281.01-R5**
DATE:	**09/20/2012**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Wincore**
CODE:	**1640-1**
REVISION DATE:	**07/18/2024**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wincore Window Company, LLC **250 Staunton Turnpike** **Parkersburg, WV 26104**	**Series "8800" Impact** **Vinyl Double Hung Window** Configuration: X/X Glazing: IG-1/8" Annealed Glass/Laminate-1/8" Annealed Glass/0.090" Solutia PVB Interlayer/1/8"Annealed Glass Frame: W-1219mm(48") H-1829mm(72") Sash: W-1137mm(44.75") H-896mm(35.25") DLO: W-1041mm(41.00") H-797mm (31.38")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 **AAMA/WDMA/CSA 101/I.S.2/A440-11** **AAMA/WDMA/CSA 101/I.S.2/A440-08** **ASTM E1886-05/13a/E1996-06/14a**	**Class LC-PG60 1219 x 1829 (48 x 72)-H** **Design Pressure: 2873 Pa (60 psf)** **Negative Design Pressure: 3112 Pa (65 psf)** **Wind Zone 4 - Missile Level D**

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 02800483/TEL 02800484/TEL 02800482 (Gateway)/V-201015/W-1920
Expiration Date: **August 31, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com