

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011289.02-R2
DATE: 11/05/2020
CERTIFICATION PROGRAM: Structural
COMPANY: Solar
CODE: 872-1
REVISION DATE: 04/10/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Solar Innovations, Inc. 31 Roberts Road Pine Grove, PA 17963	Series "SI 8200" Aluminum Sliding Glass Door Configuration: OXXX Glazing: IG-3/16" Tempered Glass/Laminate-3/16" Annealed Glass/0.090" Sentry Glass Plus Interlayer/3/16" Annealed Glass or Monolithic: Laminate-3/16" Annealed Glass/0.090" Sentry Glass Plus Interlayer /3/16" Annealed Glass Frame: W-6198mm(244") H-2540mm(100") Panel: W-1537mm(60.5") H-2515mm(99")

SPECIFICATION	PRODUCT RATING
ASTM E283-04(12) ASTM E331-00(09) ASTM E330-02(10) ASTM E1886-02/04/05 ASTM E1996-02/04/06/09/12a	Design Pressure: +65/-65 psf Water Penetration Resistance Test Pressure: 575 Pa (12 psf) Wind Zone 4 - Missile Level D

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-15153-1/NCTL 110-19428-1
Expiration Date: July 31, 2028

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com