

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011301-R2  
DATE: 10/05/2012  
CERTIFICATION PROGRAM: Structural  
COMPANY: Skyline  
CODE: 1894-1  
REVISION DATE: 10/28/2021

To verify that the "Notice of Product Certification" is valid, please visit [www.NAMICertification.com](http://www.NAMICertification.com) to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Skyline Sky-Lites, LLC</b> <b>2925 Delta Drive</b> <b>Colorado Springs, CO 80910</b>	<b>"VEN-TDCMD 5276"</b> <b>Thermally Broken Aluminum</b> <b>Plastic Glazed Roof Window</b>  Outer Dome: 0.168" Thick Cast Acrylic Inner Dome: 0.111" Thick Cast Acrylic  Frame: W-1321mm(52")      H-1905mm(75") DLO: W-1181mm(46.5")      H-1772mm(69.75")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b>	<b>PG40 1321 x 1905 (52 x 75)-RWP</b> <b>Design Pressure: 1920 Pa (40 psf)</b> <b>Water Penetration Resistance Test Pressure: 580 (12.11 psf)</b>

Product Tested By: Architectural Testing, Inc.  
Report No: C0188.01-801-47  
Expiration Date: **June 30, 2024**

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Fax: (804) 684-5122