

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011328.01-R4  
**DATE:** 11/07/2012  
**CERTIFICATION PROGRAM:** Structural/Impact  
**COMPANY:** Bildau & Bussman  
**CODE:** 1651-1  
**REVISION DATE:** 02/28/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Bildau &amp; Bussmann GmbH</b> <b>Gerichtstrasse 23</b> <b>13347 Berlin, Germany</b>	<b>Series "French Door" Impact Glazed</b> <b>Wood Out-Swing Side-Hinged</b> <b>Double Doors</b>  Configuration: XX Glazing: Monolithic-Laminate-1/4" Tempered Glass/0.090" DuPont SGP Interlayer/1/4" Tempered Glass or IG-1/4" Tempered Glass/Laminate-1/4" Tempered Glass /0.090" DuPont SGP Interlayer/1/4" Tempered Glass  Frame: W-2201mm(86.63") H-3048mm(120.00") Panel: W-1105mm(43.50") H-2998mm(118.00") DLO: W-834mm(32.82") H-2707mm(106.57")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: +70/-70 psf</b> <b>Large Missile Impact Rated</b> Qualifies Configurations: X/XX

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-3800-3  
Expiration Date: August 31, 2027

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023