NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI011328.01-R5**
DATE:	**11/07/2012**
CERTIFICATION PROGRAM:	**Structural/Impact**
COMPANY:	**Bildau & Bussman**
CODE:	**1651-1**
REVISION DATE:	**07/27/2026**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Bildau & Bussmann GmbH **Gerichtstrasse 23** **13347 Berlin, Germany**	**Series "French Door" Impact Glazed** **Wood Out-Swing Side-Hinged** **Double Doors** Configuration: XX Glazing: Monolithic-Laminate-1/4" Tempered Glass/0.090" DuPont SGP Interlayer/1/4" Tempered Glass or IG-1/4" Tempered Glass/Laminate-1/4" Tempered Glass /0.090" DuPont SGP Interlayer/1/4" Tempered Glass Frame: W-2201mm(86.63") H-3048mm(120.00") Panel: W-1105mm(43.50") H-2998mm(118.00") DLO: W-834mm(32.82") H-2707mm(106.57")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	**Design Pressure: +70/-70 psf** **Large Missile Impact Rated** Qualifies Configurations: X/XX

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3800-3
Expiration Date: **August 31, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com