

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011332.02-R5
DATE: 11/14/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Solar
CODE: 872-1
REVISION DATE: 11/12/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Solar Innovations, Inc. 31 Roberts Road Pine Grove, PA 17963	Series "SI3000 Impact FGW 3.5 x 9.5 Panel Standard" In-Fold Aluminum Folding Glass Wall Configuration: XXX/XXX Glazing: IG-3/16" Tempered Glass (Exterior)/ Laminate-3/16" Tempered Glass/0.090" Sentry Glass Plus Interlayer/3/16" Tempered Glass Frame: W-6621mm(260.6") H-3010mm(118.5") Frame: W-1067mm(42") H-2896mm(114") DLO: W-997mm(39.25") H-2724mm(107.25")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +70/-70 psf Water Penetration Resistance Test Pressure: 430 Pa (9.0 psf) Large Missile Impact Rated

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-15327-1
Expiration Date: **October 31, 2031**

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com