

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011337.07-R3
DATE: 07/23/2017
CERTIFICATION PROGRAM: Structural
COMPANY: Ply Gem
CODE: 1408-1
REVISION DATE: 01/02/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group 433 North Main Street Rocky Mount, VA 24151	"Ply Gem 1500" Twin Vinyl Fixed Window w/Transom Configuration: O/OO Glazing: Insulating Glass (Annealed) Frame: W-2429mm(95.56") H-2732mm(107.56") FW DLO: W-1089mm(42.87") H-2006mm(78.96") TR DLO: W-482mm(18.96") H-598mm(27.56")

SPECIFICATION	PRODUCT RATING
AAMA 450-06/10 AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Mulled Assembly Rating: LC30 Design Pressure: 1440 Pa (30 psf) Negative Design Pressure: 1680 Pa (35 psf) Water Penetration Resistance Test Pressure: 440 (9.19 psf) Individual Rating: Class LC-PG55 1219 x 2438 (48 x 96)-FW

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-110-20046-1/NCTL-110-15595-1/W-2034/W-2112
Expiration Date: **December 31, 2026**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

nami@namiinc.com

NOPC 03/30/2023