

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011376-R5
DATE: 12/20/2012
CERTIFICATION PROGRAM: Structural
COMPANY: Dunbarton
CODE: 1319-1
REVISION DATE: 07/12/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Dunbarton Corporation 555 Benton Industrial Road Camden, TN 38320	Series "Achiever Frame System" Fixed Full Lite VC Steel Sidelite w/Steel Frame Configuration: O Glazing: Insulating Glass (Tempered) Frame: W-407mm(16.00") H-2115mm(83.25") Panel: W-302mm(11.88") H-2013mm(79.25") DLO: W-153mm(6.00") H-1604mm(63.13") STP: Pos+5028 Pa (105.00 psf) Neg-5028 Pa (105.00 psf)

SPECIFICATION	PRODUCT RATING
AAMA 1702.2-95 Federal Manufactured Home Construction & Safety Standard 3280.305	Manufactured Housing-Passed Wind Zone III

Product Tested By: Testing Evaluation Laboratories, Inc.
Report No: TEL 01090354-A
Expiration Date: May 31, 2024

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shi" or similar, written over a horizontal line.

NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com