

NOTICE OF PRODUCT CERTIFICATION




CERTIFICATION NO: NI011379-R5
DATE: 01/02/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Nabco
CODE: 1937-1
REVISION DATE: 09/13/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nabco Entrances, Inc. S82 W18717 Gemini Drive Muskego, WI 53150	Series "GT 1175" Glazed Bipart Aluminum Slider Full Open Sidelite w/o Transom Configuration: XXXX Glazing: Laminate-3/16" Tempered Glass/ 1/8" Solutia Saflex Interlayer/3/16" Tempered Glass Frame: W-4877mm(192") H-2324mm(91.5") Panel: W-1240mm(48.81") H-2115mm(83.25")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +60/-70 psf Large & Small Missile Impact Rated

Product Tested By: Hurricane Engineering & Testing, Inc./Architectural Testing, Inc.
Report No: HETI-00-881/HETI-00-882/HETI-00-4166/HETI-00-T051/ATI-C2942.01-602-18/W-1537
Expiration Date: **December 31, 2027**

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com