

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011381.01-R3
DATE: 01/03/2012
CERTIFICATION PROGRAM: Structural/Impact
COMPANY: Bildau & Bussman
CODE: 1651-1
REVISION DATE: 02/28/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Bildau & Bussmann GmbH Gerichtstrasse 23 13347 Berlin, Germany	“Push-Out Wood Casement Window” Wood Casement Window Configuration: XX Glazing: Monolithic-Laminate-1/4" Tempered Glass/0.090" DuPont SGP/1/4" Tempered Glass or IG-1/4" Tempered Glass/Laminate-1/4" Tempered Glass /0.090" DuPont SGP/1/4" Tempered Glass Frame: W-1524mm(60") H-1829mm(72") Vent: W-749mm(29.5") H-1753mm(69") DLO: W-508mm(20") H-1600mm(63")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +70/-70 psf Large Missile Impact Rated Qualifies Configurations: X/XX

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3845-1
Expiration Date: **October 31, 2027**

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023