

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011430-R5  
DATE: 02/05/2013  
CERTIFICATION PROGRAM: Structural  
COMPANY: Orepac  
CODE: 1234-1  
REVISION DATE: 10/25/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>OrePac Building Products</b> <b>30160 SW Orepac Avenue</b> <b>Wilsonville, OR 97070</b>	<b>Series "OXO 8/0 Opaque Composite"</b> <b>Opaque In-Swing Fiberglass Side-Hinged</b> <b>Door w/Fixed Sidelites &amp; Composite</b> <b>Frame</b>  Configuration: OXO Glazing: Insulating Glass (Tempered)  Frame: W-1740mm(68.50") H-2478mm(97.57") Panel: W-910mm(35.82") H-2420mm(95.25") DLO: W-180mm(7.00") H-2010mm(79.13")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class R PG35 1740 x 2478 (69 x 98)-LW</b> <b>Design Pressure: 1680 Pa (35 psf)</b> <b>Negative Design Pressure: 1680 Pa (35 psf)</b> <b>Canadian Air Infiltration/Exfiltration Level: A2</b>

Product Tested By: Architectural Testing Incorporated  
Report No: C3028.01-901-44  
Expiration Date: January 31, 2026

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023