NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI011513.01-R2**
DATE:	**03/26/2013**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Loewen**
CODE:	**1862-1**
REVISION DATE:	**05/20/2025**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Loewen **77 Highway 52 West** **Steinbach, Manitoba R5G 1B2**	**Series "Pocket Sliding Glass Door"** **Aluminum Pocket Sliding Glass Door** **w/Impact Glazing** Configuration: XXXX Sill Height: 4-1/4" Overall Glazing: Laminate-1/4" Heat Strengthened Glass/ 0.090" SentryGlas® Plus by DuPont/1/4" Heat Strengthened Glass Frame: W-7579mm(298.38") H-3632mm(143") Panel: W-1537mm(60.5") H-3545mm(139.56")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22 **AAMA/WDMA/CSA 101/I.S.2/A440-17** **AAMA/WDMA/CSA 101/I.S.2/A440-11** **AAMA/WDMA/CSA 101/I.S.2/A440-08** **AAMA/WDMA/CSA 101/I.S.2/A440-05** **TAS 201/202-203-94**	**Class C-PG70 7579 x 3632 (298 x 143)-SD** **SD-C70 7579 x 3632 (298 x 143)** **Design Pressure: ±3352 Pa(±70 psf)** **Large Missile Impact Rated** **Water Penetration Resistance Test Pressure: 646 Pa(13.5 psf)**

Product Tested By: Fenestration Testing Laboratory, Inc.
Report No: 09-625-6131/09-625-6108/09-625-6138/W-2162
Expiration Date: **March 31, 2027**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com