

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011611.01-R5
DATE: 07/22/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Wincore
CODE: 1640-1
REVISION DATE: 03/19/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wincore Window Company, LLC 250 Staunton Turnpike Parkersburg, VA 26104	Series "8800" Impact Rated Vinyl Out-Swing Casement Window (Standard Hardware/Maximum Clearance Hardware/Stainless Steel Hardware) Configuration: X Glazing: IG-Laminate-1/8" Annealed Glass/0.090" Interlayer by Saflex/1/8" Annealed Glass/ 1/8" Tempered Glass Frame: W-914mm(36") H-1829mm(72") Vent: W-879mm(34.62") H-1794mm(70.62") DLO: W-750mm(29.54") H-1665mm(65.54")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08 ASTM E1886-05/13a/E1996-06/14a TAS 201/202/203-94	Class LC-PG55 914 x 1708 (36 x 72)-C Design Pressure: +55/-55 psf Wind Zone 4-Missile Level D Large Missile Impact Rated Water Resistance Penetration Test Pressure: 718 Pa (15 psf)

Product Tested By: Testing Evaluation Laboratory
Report No: TEL 02800620/TEL 02800606/TEL 02800608/V-201017/-1920
Expiration Date: **April 30, 2030**

Administrator's Signature: 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC-03/30/2023