

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011618.01-R3  
**DATE:** 07/09/2013  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** LAS Enterprises  
**CODE:** 1124-1  
**REVISION DATE:** 07/13/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>LAS Enterprises</b> <b>2413 L &amp; A Road</b> <b>Metairie, LA 70001</b>	<b>Series " 4500 Casement WeatherGard III"</b> <b>Vinyl Outswing Casement Window</b> <b>w/Strap Installation</b>  Configuration: X Glazing: IG-Exterior-1/8" Annealed Glass/0.090" DuPont Butacite PVB Interlayer/1/8" Annealed Glass/Interior-1/8" Annealed Glass  Frame: W-914mm(36.00") H-1828mm(72.00") Vent: W-877mm(34.56") H-1790mm(70.50")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-05</b> <b>ASTM E1886-02/05/E1996-02/05</b> <b>TAS 201/202/203-94</b>	<b>Class LC-PG70 914 x 1829 (36 x 72)-C</b> <b>C-LC70 914 x 1829 (36 x 72)</b> <b>Design Pressure: 3360 Pa (70 psf)</b> <b>Wind Zone 4 - Missile Level D</b> <b>Large Missile Impact Rated</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-110-16218-1/NCTL-110-16218-2/NCTL-110-16218-3  
Expiration Date: **December 31, 2026**

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

[nami@namiinc.com](mailto:nami@namiinc.com)