

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011703-R3  
**DATE:** 11/04/2013  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Maxim  
**CODE:** 1256-1  
**REVISION DATE:** 08/20/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Maxim Industries, Inc.</b> <b>201 Longhorn Road</b> <b>Fort Worth, TX 76179</b>	<b>Unit Skylight Plastic Glazed Skylight</b> <b>Self Flashing or Curb Mounted</b>  Configuration: O  Glazing: Exterior Dome-1/8" Polycarbonate/Interior Dome-1/8" Polycarbonate  Overall: W-1540mm(60.63") H-1556mm(61.25") DLO: W-1483mm(58.40") H-1432mm(56.40")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>ASTM E1886-05/E1996-05</b> <b>TAS 201/202/203-94</b>	<b>CW-PG40 1559 x 2477 (61 x 98) SKP/RW</b> <b>Design Pressure: 1920 Pa (40 psf)</b> <b>Negative Design Pressure: 3600 Pa (75 psf)</b> <b>Wind Zone 4 - Missile Level D</b> <b>Large Missile Impact Rated</b>

Product Tested By: Architectural Testing, Inc.  
Report No: D1032.03-801-44/D1032.02-801-44/D1032.01/801-44  
Expiration Date: **September 30, 2028**

Administrator's Signature: \_\_\_\_\_ 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)