

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011726.01-R3  
**DATE:** 11/15/2013  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Wincore  
**CODE:** 1640-1  
**REVISION DATE:** 08/21/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Wincore Window Company, LLC</b> <b>250 Staunton Turnpike</b> <b>Parkersburg, VA 26104</b>	<b>Series "5400/5400S"</b> <b>Vinyl Horizontal Sliding Window</b>  Configuration: XX Glazing: Insulated Glass (Annealed)  Frame: W-1829mm(72.00") H-1219mm(48.00") DLO: W-816mm(32.13") H-1043mm(41.06")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b>	<b>Class R-PG45 1829 x 1219 (72 x 48)-HS</b> <b>Design Pressure: 2155 Pa (45 psf)</b> <b>Negative Design Pressure: 2155 Pa (45 psf)</b> <b>Water Penetration Resistance Test Pressure: 323 Pa (6.75 psf)</b>

Product Tested By: Testing Evaluation Laboratory  
Report No: TEL 02800801/W-1920  
Expiration Date: October 31, 2030

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "S. D.", is written over the signature line.

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)