

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011726.03-R3
DATE: 11/15/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Wincore
CODE: 1640-1
REVISION DATE: 08/21/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wincore Window Company, LLC 250 Staunton Turnpike Parkersburg, VA 26104	Series "5400/5400S" Vinyl Horizontal Sliding Window Configuration: XX Glazing: Insulated Glass (Annealed) Frame: W-1981mm(78.00") H-1829mm(72.00") DLO: W-905mm(35.63") H-1653mm(65.06")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG20 1981 x 1829 (78 x 72)-HS Design Pressure: 958 Pa (20 psf) Negative Design Pressure: 958 Pa (20 psf) Water Penetration Resistance Test Pressure: 323 Pa (6.75 psf)

Product Tested By: Testing Evaluation Laboratory
Report No: TEL 02800803/W-1920
Expiration Date: October 31, 2030

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124

Email: nami@namiinc.com