

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011777-R3  
DATE: 01/14/2014  
CERTIFICATION PROGRAM: Structural  
COMPANY: KHPP Windows  
CODE: 1954-1  
REVISION DATE: 07/07/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>KHPP Windows and Doors</b> <b>1136 Industrial Park Road</b> <b>Vandergrift, PA 15690</b>	<b>Series "Huntington"</b> <b>Vinyl Double Hung Window</b>  Configuration: O/X  Glazing: Insulating Glass (Annealed)  Frame: W-1020mm(40.16") H-1600mm (62.99") Sash: W-930mm(36.61") H-800mm (31.51")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b>	<b>Class R-PG50 1020 x 1600 (40 x 63)-H</b> <b>Design Pressure: 2400 Pa (50.1 psf)</b> <b>Negative Design Pressure: 2400 Pa (50.1 psf)</b> <b>Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)</b> <b>Canadian Air Infiltration/Exfiltration Level: A3</b>

Product Tested By: Exova  
Report No: 12-06-M0422-2  
Expiration Date: **December 31, 2032**

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "Shi" or similar, written over a horizontal line.

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)