NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI011795.07-R2
DATE: 02/04/2019
CERTIFICATION PROGRAM: Structural
COMPANY: Plyco
CODE: 765-1
REVISION DATE: 09/26/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Plyco Corporation **dba Modern Door Corporation** **500 Industrial Road/PO Box 386** **Elkhart Lake, WI 53020**	**Series "92 TB"** **Glazed Out-Swing Steel** **Side-Hinged Door** Configuration: X Glazing: Insulated Glass (Tempered) Frame: W-1314mm(51.75") H-2188mm(86.13") Panel: W-1213mm(47.75") H-2115mm(83.25") DLO: W-527mm(20.75") H-1492mm(58.75")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA CSA 101/I.S.2/A440-17 **AAMA/WDMA CSA 101/I.S.2/A440-11**	**Class LC-PG35 1314 x 2188 (52 x 86)-LW SHD** **Design Pressure: ±1676 Pa (±35 psf)** **Positive Design Pressure: ±1920 Pa (±40 psf)** **Positive Design Pressure: ±1676 Pa (±35 psf)** **Water Penetration Resistance Test Pressure: 0 Pa (0 psf)**

Product Tested By: Element Materials Technology
Report No: ESP029644P-2376.2
Expiration Date: **November 30, 2026**

Administrator's Signature:

NATIONAL ACCREDITATION & MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com