NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011795.09-R2

DATE: 02/04/2019

CERTIFICATION PROGRAM: Structural

COMPANY: Plyco

CODE: 765-1

REVISION DATE: 09/26/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Plyco Corporation	Series "92 TB"
dba Modern Door Corporation	Opaque In-Swing Steel
500 Industrial Road/PO Box 386	Side-Hinged Door
Elkhart Lake, WI 53020	Configuration: X
	Frame: W-1314mm(51.75") H-2188mm(86.13")
	Panel: W-1213mm(47.75") H-2115mm(83.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA CSA 101/I.S.2/A440-17 AAMA/WDMA CSA 101/I.S.2/A440-11	Class LC-PG40 1314 x 2188 (52 x 86)-LW SHD Design Pressure: ±1920 Pa (±40 psf) Water Penetration Resistance Test Pressure: 0 Pa (0 psf)

Product Tested By: Element Materials Technology

Report No: ESP029644P-2376.4 Expiration Date: November 30, 2026

Administrator's Signature:

She

NATIONAL ACCREDITATION & MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072

Tel: (804) 684-5124 Email: nami@namiinc.com