NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI011907.01-R19**
DATE:	**03/19/2014**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**JELD-WEN**
CODE:	**1822-1**
REVISION DATE:	**09/25/2025**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
JELD-WEN **3737 Lakeport Boulevard** **Klamath Falls, OR 97601**	**JELD-WEN "Design Pro/Smooth Pro/Studio"** **Fiberglass Opaque** **In-Swing or Out-Swing Side-Hinged Doors** Configuration: XX IS Frame: W-1879mm(74.00") H-2487mm(97.93") OS Frame: W-1879mm(74.00") H-2466mm(97.12") Panel: W-908mm(35.75") H-2419mm(95.25")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E330-02 **TAS 202-94** **AAMA 1304-02**	**Design Pressure: +50/-50 psf** **Qualifies Configurations: XX**

Product Tested By: National Certified Testing Laboratories

Report No: SJW2013-196/SJW2013-129/SJW2013-234/SJW2013-235/SJW2013-251/SJW2013-252/SJW2013-253/NCTL-210-3925-03/NCTL-210-3930-01/NCTL-210-3930-02/SJW2014-070/SJW2014-075/W-1661/W-1698/W1783/W-1799/W-1830/W-1861/W-1899/W-1904/W-1924/W-1943/W-1950/W-1991/W-2005/W-2023/W-2039/W-2172

Expiration Date: **March 30, 2032**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com