

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011910.01-R20  
**DATE:** 03/19/2014  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** JELD-WEN  
**CODE:** 1822-1  
**REVISION DATE:** 09/25/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>JELD-WEN</b> <b>3737 Lakeport Boulevard</b> <b>Klamath Falls, OR 97601</b>	<b>JELD-WEN "Design Pro/Smooth Pro/Studio"</b> <b>Fiberglass Opaque In-Swing or Out-Swing</b> <b>Side-Hinged Doors w/Glazed Sidelites</b>  Configuration: OXO Glazing: Insulating Glass (Tempered)  IS Frame: W-2847mm(112.12") H-2487mm(97.93") OS Frame: W-2847mm(112.12") H-2470mm(97.25") Panel: W-908mm(35.75") H-2419mm(95.25") DLO: W-606mm(23.87") H-1995mm(78.56")

SPECIFICATION	PRODUCT RATING
<b>ASTM E283-04/E330-02</b> <b>TAS 202-94</b> <b>AAMA 1304-02</b>	<b>Design Pressure: +45/-45 psf</b> <b>Qualifies Configurations: OX/XO/OXO</b>

Product Tested By: National Certified Testing Laboratories  
Report No: NCTL-210-3918-02/NCTL-210-3925-03/SJW2013-196/SJW2013-137-TAS/SJW2013-241/SJW2013-242/SJW2013-208-TAS/SJW2013-209-TAS/SJW2013-251/SJW2013-252/SJW2013-253/NCTL-210-3930-01/NCTL-210-3930-02/SJW2014-066/SJW2014-076/SJW2014-070/W-1663/W-1700/W178/W-1799/W-1830/W-1861/W-1899/W-1904/W-1924/W-1943/W-1950/W-1991/W-2005/W-2023/W-2039/W-2172

Expiration Date: **March 30, 2032**

Administrator's Signature: \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124/Email: [nami@namiinc.com](mailto:nami@namiinc.com)

NOPC-03/30/2023