

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI011959-R4  
**DATE:** 05/07/2014  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** LAS Enterprises  
**CODE:** 1124-1  
**REVISION DATE:** 07/13/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS  | PRODUCT DESCRIPTION   |
|---|---|
| <b>LAS Enterprises</b><br><b>2413 L &amp; A Road</b><br><b>Metairie, LA 70001</b> | <b>Series "Bahama"</b><br><b>Aluminum Single Muller</b><br><b>Shutter Assembly</b><br><br>Configuration: X<br><br>Frame: W-1854mm(73.00") H-1927mm(75.87")<br>Blade: W-50mm(2.00") H-9.53mm(0.375") |

| SPECIFICATION  | PRODUCT RATING  |
|--|---|
| <b>ASTM E330-02</b><br><b>ASTM E1886-05/E1996-09</b> | <b>Design Pressure: ±2154 Pa (45 psf)</b><br><b>Wind Zone 4 - Missile Level D</b> |

Product Tested By: Element Materials Technology  
Report No: ESP015496P  
Expiration Date: **December 31, 2026**

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)