

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI011959.02-R4
DATE: 05/07/2014
CERTIFICATION PROGRAM: Structural
COMPANY: LAS Enterprises
CODE: 1124-1
REVISION DATE: 07/13/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
LAS Enterprises 2413 L & A Road Metairie, LA 70001	Series "Bahama" Aluminum Twin Mulled Shutter Assembly Configuration: X Frame: W-2514mm(99.00") H-1927mm(75.87") Panel: W-838mm(33.00") H-1927mm(75.87") Blade: W-50mm(2.00") H-9.53mm(0.375")

SPECIFICATION	PRODUCT RATING
ASTM E330-02 ASTM E1886-05/E1996-09	Design Pressure: ±2154 Pa (45 psf) Wind Zone 4 - Missile Level D

Product Tested By: Element Materials Technology
Report No: ESP015496P-1
Expiration Date: **December 31, 2026**

Administrator's Signature: _____ 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com