# NOTICE OF PRODUCT CERTIFICATION

**CERTIFICATION NO:** NI011965-R7
**DATE:** 05/12/2014
**CERTIFICATION PROGRAM:** Structural
**COMPANY:** Four Seasons
**CODE:** 1812-1
**REVISION DATE:** 10/13/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| **Four Seasons Solar Products, LLC**<br>**5005 Veterans Memorial Highway**<br>**Holbrook, NY 11741** | **Series "230"**<br>**Aluminum Fixed Window**<br>Configuration: O<br>Glazing: Insulating Glass (Tempered)<br>Frame: W-1854mm(73") H-1473mm(58")<br>DLO: W-1701mm(67") H-1320mm(52") |

| SPECIFICATION | PRODUCT RATING |
|---|---|
| **AAMA/WDMA/CSA 101/I.S.2/A440-08**<br>**TAS 202-94** | **Class R-PG50 1854 x 1473 (73 x 58)-FW**<br>**Design Pressure: 2400 Pa (50 psf)**<br>**Negative Design Pressure: 2400 Pa (50 psf)**<br>**Water Penetration Resistance Test Pressure: 540 Pa (11.25 psf)** |

Product Tested By: Materials Testing Group
Report No: 10-FS-006
Expiration Date: **May 31, 2027**

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.**
**4794 George Washington Memorial Highway**
**Hayes, VA 23072**
**Tel: (804) 684-5124**
**Email: nami@namiinc.com**