NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI011972-R6
DATE: 05/16/2014
CERTIFICATION PROGRAM: Structural
COMPANY: Four Seasons
CODE: 1812-1
REVISION DATE: 10/13/2025

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Four Seasons Solar Products, LLC **5005 Veterans Memorial Highway** **Holbrook, NY 11741**	**Series "230 Unit Fixed"** **Aluminum Fixed Skylight** Configuration: O Glazing: Insulating Glass (Tempered) Frame: W-620mm(24.5") H-1260mm(49.5") Vent: W-482mm(19") H-1143mm(45")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	**Class R-PG75 620 x 1260 (24 x 49)-SKG** **Design Pressure: 3591 Pa (75 psf)** **Negative Design Pressure: 3591 Pa (75 psf)** **Water Penetration Resistance Test Pressure: 538 Pa (11.25 psf)**

Product Tested By: Materials Testing Group
Report No: 10-FS-003
Expiration Date: **May 31, 2027**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com