NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO:	**NI012051.15-R5**
DATE:	**07/15/2014**
CERTIFICATION PROGRAM:	**Structural**
COMPANY:	**Wincore**
CODE:	**1640-1**
REVISION DATE:	**07/12/2023**

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wincore Window Company, LLC **250 Staunton Turnpike** **Parkersburg, WV 26104**	**Series "5400/5400S/7700/9900"** **Vinyl Sliding Patio Door** Configuration: OX Glazing: IG-1/8" Tempered Glass/Laminate-1/8" Annealed Glass/0.030" PVB Interlayer/1/8" Annealed Glass Frame: W-2440mm(96.06") H-2440mm(96.06") Panel: W-1223mm(48.15") H-2330mm(91.73") DLO: W-1057mm(41.61") H-2167mm(85.31")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 **AAMA/WDMA/CSA 101/I.S.2/A440-11** **AAMA/WDMA/CSA 101/I.S.2/A440-08** **CSA A440S1-09**	**Class LC-PG35 2440 x 2440 (96 x 96)-SD** **Design Pressure: 1680 Pa (35 psf)** **Negative Design Pressure: 1680 Pa (35 psf)** **Water Penetration Resistance Test Pressure: 290 Pa(6.00 psf)** **Canadian Air Infiltration/Exfiltration Level: A3**

Product Tested By: Air-Ins, Inc.
Report No: AI-04159-D2/W-1691/W-1920/W-2050
Expiration Date: **May 31, 2031**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com