NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI012054.02-R3
DATE: 03/13/2019
CERTIFICATION PROGRAM: Structural
COMPANY: Nan Ya Plastics
CODE: 661-1
REVISION DATE: 06/18/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Nan Ya Plastics Corporation U.S.A. **4016 Shadrack St.** **Houston, TX 77013**	**Series "SLPS"** **In-Swing 3/4 Lite Glazed Fiberglass** **Side-Hinged Patio Door (Non-Impact)** Configuration: OXX/O Glazing: Insulating Glass (Tempered) Frame: W-3635mm(143.12") H-2426mm(95.5") Panel: W-876mm(34.5") H-2338mm(92.06") DLO: W-641mm(25.25") H-1607mm(63.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	**Class R-PG40 3635 x 2426 (143 x 95)-SHD** **Design Pressure: 1915 Pa (40 psf)** **Positive Design Pressure: 2400 Pa (50 psf)** **Negative Design Pressure: 2400 Pa (50 psf)** **Water Penetration Resistance Test Pressure: 360 Pa(7.5 psf)**

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3973-02
Expiration Date: **June 30, 2036**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com