

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012097-R2
DATE: 08/20/2014
CERTIFICATION PROGRAM: Structural
COMPANY: Custom
CODE: 2026-1
REVISION DATE: 04/06/2022

To verify that the "Notice of Product Certification" is valid, please visit www.NAMICertification.com to assure that the product is active and currently listed. This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. Please review and advise NAMI if any corrections are required to this document.

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Custom Millworks, Inc. 7882 County Road 24 Fairhope, AL 36532	"Full Lite & 3/4" Lite French Doors" Impact Rated Wood Side Hinged Doors Configuration: XX Glazing: Monolithic-Laminate-1/4" Tempered Glass/ 0.090" SGP by DuPont/1/4" Tempered Glass Frame: W-1811mm(74.31") H-2788mm(109.75") Panel: W-914mm(36") H-2743mm(108") Max DLO: W-635mm(25") H-2375mm(93.5")

SPECIFICATION	PRODUCT RATING
ASTM E283-04/E330-10/E331-00 ASTM E1886-05/09/E1996-06/09 AAMA 1304-02	Design Pressure: +65/-65 psf Wind Zone 4-Missile Level D FER-Passed Water Penetration Resistance Test Pressure: 137 Pa (2.86 psf)

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-3933-01
Expiration Date: March 31, 2032

Administrator's Signature: 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com