

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012114-R4
DATE: 09/05/2014
CERTIFICATION PROGRAM: Structural
COMPANY: Wojan
CODE: 2087-1
REVISION DATE: 02/01/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wojan Window & Door Corporation 217 Stover Road Charlevoix, MI 49720	Series "2600" Aluminum Sliding Glass Door Configuration: ZXO Glazing: Insulating Glass (Tempered) Frame: W-3658mm(144") H-2489mm(98") Panel: W-1264mm(49.75") H-2413mm(95.18") DLO: W-1124mm(44.25") H-2292mm(90.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class CW-PG40 3658 x 2489 (144 x 98)-SD SD-C40 3658 x 2489 (144 x 98) Design Pressure: ±1920 Pa (40 psf) Water Penetration Resistance Test Pressure: 290 Pa(6.06 psf)

Product Tested By: Architectural Testing, Inc.
Report No: A4242.01-602-44
Expiration Date: October 31, 2026

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com