# NOTICE OF PRODUCT CERTIFICATION

| | |
|---|---|
| **CERTIFICATION NO:** | **NI012143-R6** |
| **DATE:** | **09/21/2014** |
| **CERTIFICATION PROGRAM:** | **Structural** |
| **COMPANY:** | **Wojan** |
| **CODE:** | **2087-1** |
| **REVISION DATE:** | **03/03/2026** |

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| **Wojan Window & Door Corporation**<br>**217 Stover Road**<br>**Charlevoix, MI 49720** | **Series "2500"**<br>**Aluminum Sliding Glass Door**<br>Configuration: ZXO<br>Glazing: Insulating Glass (Tempered)<br>Frame: W-3658mm(144") H-2108mm(83")<br>Panel: W-1238mm(48.75") H-2051mm(80.75")<br>DLO: W-1130mm(44.5") H-1930mm(76") |

| SPECIFICATION | PRODUCT RATING |
|---|---|
| **AAMA/WDMA/CSA 101/I.S.2/A440-08**<br>**AAMA/WDMA/CSA 101/I.S.2/A440-05** | **Class LC-PG25 3658 x 2108 (144 x 83)-SD**<br>**Design Pressure: ±1200 Pa (25 psf)**<br>**Water Penetration Resistance Test Pressure: 180 Pa(3.76 psf)** |

Product Tested By: Architectural Testing, Inc.
Report No: A6760.01-602-44
Expiration Date: **January 31, 2028**

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.**
**4794 George Washington Memorial Highway**
**Hayes, VA 23072**
**Tel: (804) 684-5124**
**Email: nami@namiinc.com**