

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012147-R5
DATE: 09/21/2014
CERTIFICATION PROGRAM: Structural
COMPANY: Wojan
CODE: 2087-1
REVISION DATE: 02/01/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Wojan Window & Door Corporation 217 Stover Road Charlevoix, MI 49720	Series "M950" Aluminum Horizontal Sliding Window Configuration: XO Glazing: Insulating Glass (Annealed) Frame: W-2502mm(98.5") H-2000mm(78.75") Panel: W-1257mm(49.5") H-1918mm(75.5") DLO: W-1157mm(45.56") H-1853mm(72.94")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08	Class AW-PG40 2502 x 2000 (99 x 79)-HS Design Pressure: 1920 Pa (40 psf) Negative Design Pressure: 2640 Pa (55 psf) Canadian Air Infiltration/Exfiltration Level: A2 Water Penetration Resistance Test Pressure: 390 Pa(8.15 psf)

Product Tested By: Architectural Testing, Inc.
Report No: C8448.02-602-44
Expiration Date: **June 30, 2026**

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com

NOPC 03/30/2023