NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI012597-R4
DATE: 03/30/2015
CERTIFICATION PROGRAM: Structural
COMPANY: Ply Gem
CODE: 1408-1
REVISION DATE: 11/06/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Ply Gem Window Group **433 North Main Street** **Rocky Mount, VA 24151**	**Series "XT 970"** **Vinyl Sliding Door** Configuration: OXXO Glazing: Insulating Glass (Tempered) Frame: W-3658mm(144") H-2438mm(96") Panel: W-943mm(37.13") H-2369mm(93.25")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-22 **AAMA/WDMA/CSA 101/I.S.2/A440-17** **AAMA/WDMA/CSA 101/I.S.2/A440-11** **AAMA/WDMA/CSA 101/I.S.2/A440-08** **AAMA/WDMA/CSA 101/I.S.2/A440-05** **CMBSO 1-79/CAWM 301**	**Class R-PG20 3658 x 2438 (144 x 96)-SD** **SD-R20 3658 x 2438 (144 x 96)** **Design Pressure: ±960 Pa (20 psf)** **Water Penetration Resistance Test Pressure: 150 Pa (3.0 psf)**

Product Tested By: National Certified Testing Laboratories
Report No: 310-3288(E0A0)/W-1992/W-1996/W-2047
Expiration Date: **April 30, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com