NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI012692.05-R2
DATE: 06/22/2015
CERTIFICATION PROGRAM: Structural
COMPANY: Vistamark
CODE: 2165-1
REVISION DATE: 08/01/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Vistamark Enterprises, LLC **3637 N. Hwy 77, Suite C** **Waxahachie, TX 75165**	**Series "Endura / 100"** **Vinyl Fixed Window** Configuration: O Glazing: Insulating Glass (Annealed) Frame: W-1524mm(60") H-1524mm(60") DLO: W-1399mm(55.06") H-1399mm(55.06")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 **AAMA/WDMA/CSA 101/I.S.2/A440-08** **AAMA/WDMA/CSA 101/I.S.2/A440-05** **CSA A440S1-09**	**Class CW-PG60 1524 x 1524 (60 x 60)-FW** **FW-C60 1524 x 1524 (60 x 60)** **Design Pressure: 2880 Pa (60 psf)** **Negative Design Pressure: 3120 Pa (65 psf)** **Water Penetration Resistance Test Pressure: 580 Pa (12.11 psf)** **Canadian Air Infiltration/Exfiltration Level: Fixed**

Product Tested By: Architectural Testing Incorporated
Report No: E7306.02-501-47/W-2072
Expiration Date: **April 30, 2029**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com