

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012879-R3
DATE: 10/01/2015
CERTIFICATION PROGRAM: Structural
COMPANY: YKK
CODE: 1772-1
REVISION DATE: 06/20/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc. 270 Riverside Pkwy, Suite 100 Austell, GA 30168	Series "YES SSG TUH" Aluminum Project-Out Awning Window w/4-Point Multi-Lock Configuration: X Glazing: IG-1/4" Heat Strengthened Glass/Laminate-5/32" Heat Strengthened Glass/0.090" DuPont PVB Interlayer/5/32" Heat Strengthened Glass or 1/4" Tempered Glass/Laminate-3/16" Heat Strengthened Glass/0.090" DuPont PVB Interlayer/3/16 Heat" Strengthened Glass Frame: W-1524mm(60") H-914mm(36") Vent: W-1511mm(59.5") H-902mm(35.5") DLO: W-1429mm(56.25") H-819mm(32.25")
SPECIFICATION	PRODUCT RATING
ASTM E1886-05/E1996-05 TAS 201/202/203-94	Design Pressure: ±3830 Pa (80 psf) Wind Zone 4 - Missile Level D Large Missile Impact Rated

Product Tested By: Architectural Testing Incorporated
Report No: D5961.01-550-18/D5961.05-550-18/D5961.06-550-18
Expiration Date: April 30, 2026

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com