## **NOTICE OF PRODUCT CERTIFICATION =**



CERTIFICATION NO: NI012889.03-R2

**DATE:** 01/23/2018

**CERTIFICATION PROGRAM:** Structural

**COMPANY:** YKK

**CODE:** 1772-1

**REVISION DATE:** 06/20/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <a href="www.namicertification.com">www.namicertification.com</a>. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
YKK AP America, Inc.	Series "YES SSG TUH"
270 Riverside Pkwy, Suite 100	Aluminum Out-Swing Casement Window
Austell, GA 30168	w/4-Point Multi-Lock
	Configuration: X Glazing: IG-1/4" Tempered Glass/Laminate-5/32" Heat Strengthened Glass/0.060" DuPont PVB Interlayer/5/32 Heat" Strengthened Glass
	Frame: W-914mm(36") H-1524mm(60")
	Vent: W-902mm(35.5") H-1511mm(59.5")
	DLO: W-819mm(32.25") H-1429mm(56.25")
SPECIFICATION	PRODUCT RATING
ASTM E1886-05/E1996-05 TAS 201/202/203-94	Design Pressure: ±3830 Pa (80 psf) Wind Zone 4 - Missile Level A Small Missile Impact Rated

Product Tested By: Architectural Testing Incorporated Report No: D5961.03-550-18/D5961.07-550-18

Expiration Date: May 31, 2026

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

Email: nami@namiinc.com