

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI013023.05-R3  
**DATE:** 02/23/2016  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Atrium  
**CODE:** 1373-1  
**REVISION DATE:** 03/06/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS   | PRODUCT DESCRIPTION   |
|--|---|
| <b>Atrium Companies, Inc.</b><br><b>9001 Ambassador Row</b><br><b>Dallas, TX 75247</b> | <b>Series "705/755"</b><br><b>Vinyl Awning Window</b><br><b>w/Finless Installation</b><br><br>Configuration: XXX<br>Glazing: Insulating Glass (Annealed)<br><br>Frame: W-2743mm(108") H-914mm(36")<br>Vent: W-884mm(34.81") H-870mm(34.25")<br>DLO: W-765mm(30.13") H-756mm(29.75") |

| SPECIFICATION  | PRODUCT RATING  |
|--|---|
| <b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b><br><b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b><br><b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> | <b>Class LC-PG35 2743 x 914 (108 x 36)-AP</b><br><b>Design Pressure: ±1676 Pa (35 psf)</b><br>Water Penetration Resistance Test Pressure: 440 Pa (9.19 psf) |

Product Tested By: Architectural Testing, Inc.  
Report No: E1446.01-801-47/ E1448.01-801-47 (Gateway)/W-2009  
Expiration Date: **October 31, 2027**

Administrator's Signature: 

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)