

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013142-R4
DATE: 04/15/2016
CERTIFICATION PROGRAM: Structural
COMPANY: BlueLinx
CODE: 1366-1
REVISION DATE: 07/27/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
BlueLinx Corporation 225 Collins Road Elkhart, IN 46516	“Contours Steel Door” 24 Gauge Inswing Opaque Steel Door Configuration: X Frame: W-949mm(37.36") H-2079mm(81.85") Panel: W-907mm(35.79") H-2012mm(79.21")

SPECIFICATION	PRODUCT RATING
AAMA 1702.2-95/02/12 Federal Manufactured Home Construction & Safety Standard 3280.305 (applicable sections)	Manufactured Housing-Passed Wind Zone III Design Wind Pressure Rating: +58/-58 psf

Product Tested By: National Certified Testing Laboratories
Report No: SJW2014-024/W-1767
Expiration Date: **January 31, 2026**

A handwritten signature in black ink, appearing to be "SJO".

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com