

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013166-R2
DATE: 05/03/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Wojan
CODE: 2087-1
REVISION DATE: 02/01/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|--|
| Wojan Window & Door Corporation 217 Stover Road Charlevoix, MI 49720 | Series "2700" Aluminum Fixed Window Configuration: O Glazing: Insulating Glass (Annealed) Frame: W-1524mm(60") H-2515mm(99") DLO: W-1435mm(56.5") H-2426mm(95.5") |

| SPECIFICATION | PRODUCT RATING |
|--|--|
| AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05 | Class AW-PG80 1524 x 2515 (60 x 99)-FW FW-AW80 1524 x 2515 (60 x 99) Design Pressure: ±3840 Pa (80 psf) Water Penetration Resistance Test Pressure: 580 Pa(12.11 psf) |

Product Tested By: Architectural Testing, Inc.
Report No: A4241.01-602-44-R1
Expiration Date: May 31, 2026

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com