

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI013167-R3
DATE: 05/03/2016
CERTIFICATION PROGRAM: Structural
COMPANY: Wojan
CODE: 2087-1
REVISION DATE: 02/01/2024

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|---|---|
| Wojan Window & Door Corporation 217 Stover Road Charlevoix, MI 49720 | Series "2800" Aluminum Sliding Door Configuration: XO Glazing: Insulating Glass (Tempered) Frame: W-2438mm(96") H-2108mm(83") Panel: W-1264mm(49.75") H-2054mm(80.88") |

| SPECIFICATION | PRODUCT RATING |
|--|---|
| AAMA/WDMA/CSA 101/I.S.2/A440-11 | Class CW-PG55 2438 x 2108 (96 x 83)-SD Design Pressure: ±2640 Pa (55 psf) Water Penetration Resistance Test Pressure: 400 Pa(8.36 psf) |

Product Tested By: Architectural Testing, Inc.
Report No: D9903.01-602-47
Expiration Date: **February 28, 2026**

Administrator's Signature: _____


**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com